

Mexican Fruit Fly, *Anastrepha ludens* (Loew)(Diptera: Tephritidae), Addendum to the Bibliography 1986-1999

Donald B. Thomas

Kika de la Garza Subtropical Agriculture Research Center, Crop Quality and Fruit Insects Research Unit,
2301 S. International Blvd, Weslaco, TX 78596

ABSTRACT

The Mexican fruit fly is a major pest of tropical fruits including citrus and mangoes. Consequently it is a subject of active research with an extensive but scattered literature. The most recent bibliography, published in 1986, contained 205 citations. An update to this bibliography, covering the period 1986 to 1999, includes an additional 171 citations.

RESUMEN

La mosca mexicana de la fruta es una de las plagas más importantes de frutos tropicales dentro de los que se incluyen los cítricos y los mangos. Debido a esto, esta plaga se está estudiando constantemente con la consecuente producción de una vasta pero dispersa literatura. La bibliografía más reciente, publicada en 1986, incluyó 205 citas. Una actualización de esta bibliografía, que cubre el período 1986-1999, incluye 171 citas adicionales.

Additional index words: citrus, quarantine, eradication, Rio Grande Valley.

The Mexican fruit fly, *Anastrepha ludens* (Loew), is a major quarantine pest which has been a recurrent problem for growers of citrus in the Rio Grande Valley of Texas. It is the target of an intensive suppression program in Texas and California, and an eradication campaign in the fruit producing regions of Mexico. Both countries support active research programs seeking new or enhanced technologies for the control of this pest, the development of disinfestation protocols, and knowledge of its' basic biology. These efforts have been aided by a Mexican fruit fly bibliography compiled by Holler & Calkins (1986) which included 205 citations covering nearly a century of published articles beginning with the first report of the "Morelos Orange fruit worm" as an economic pest by Howard (1888), to the proposed control of the Mexfly with the sterile insect technique by Holler et al. (1984).

The present addendum to the bibliography covers the 14 year period from 1986 through the end of the millenium, December 1999, and contains over 170 additional references. The increase in the rate of publication is testament to the importance of this quarantine pest to North American agriculture in the modern era. The bulk of this published research has emanated from three laboratories. Martin Aluja and associates based at the Instituto de Ecología in Xalapa, Veracruz have actively pursued investigations in the areas of comparative ecology, host plant relationships, behavior, and natural enemies of the various pest species of *Anastrepha* including *A. ludens*. In support of the Mexican national campaign against fruit flies entomologists attached to the sterile fruit fly production program in Tapachula, Chiapas have

concentrated their efforts on improving diet, rearing methods, and the demographics of mass production.

The bulk of the research published in the last 14 years, however, nearly half of the total citations, was produced by the USDA-ARS Fruit Insect and Crop Quality research unit located in Weslaco, Texas. Here the emphasis has been on the development of attractants, quarantine treatments, novel chemical controls, and technologies in support of the Texas eradication program.

Consumer demand for tropical fruit has provided the impetus for much of this research. Concerns about health and the environment have brought pressure for reduction in the use of pesticides. Novel chemicals from natural (bacterial) sources or photoactive dyes with very low persistence in nature, and novel delivery systems such as bait stations, show promise as alternatives to broadcast insecticides (Mangan & Moreno 1995). Non-chemical treatments such as heat, radiation, and controlled atmospheres have proven to be at least as efficacious as methyl bromide for disinfesting fruit post-harvest (Shellie et al. 1997, Mangan & Hallman 1998, Hallman 1999). Yet, many problems remain to be solved. As pest management programs shift from control to eradication and the maintenance of fly-free zones the lack of an efficient trap has emerged as a glaring weakness. Lures much superior to the traditional torula yeast slurry are available (Robacker & Warfield 1993) but have not yet been tested in survey and detection programs beyond an experimental basis. Substantial changes in our approach to the Mexican fruit fly problem are clearly in the offing for the new millenium.

The format for citation follows that used by Holler & Calkins (1986) who followed that used by the Bulletin of the Entomological Society of America. I have sought to include all articles published in scientific journals but not those in newspapers, magazines or lay periodicals. Book chapters are included if the subject matter deals primarily with the Mexfly or species of *Anastrepha* including *A. ludens*. Otherwise, no effort was made to include all incidental references to the Mexfly. Likewise, abstracts, theses and unpublished technical reports are not included.

ACKNOWLEDGEMENTS

Thanks are due C.O. Calkins, USDA-ARS, Wapato, WA, I. Fraser, and G.J. Hallman, USDA-ARS, Weslaco, TX, and A.J. Martinez, USDA-APHIS, Mission, TX, for reviews of the manuscript.

1. Aluja, M.R. 1993. The study of movement in tephritid flies: review of concepts and recent advances. Pp. 105-113, in M. Aluja & P. Liedo [eds]. *Fruit Flies: Biology and Management*. Springer-Verlag, New York, NY.
2. Aluja, M.R. 1993. *Manejo Integral de las Moscas de la Fruta*. Editorial Trillas, Mexico, DF.
3. Aluja, M.R. 1994. Bionomics and management of *Anastrepha*. *Annu. Rev. Entomol.* 39: 155-178.
4. Aluja, M.R. 1995. Future trends in fruit fly management. Pp. 309-320, in B.A. McPheron and G.J. Steck [eds.]. *Fruit Fly Pests: a world assessment of their biology and management*. St. Lucie Press, Delray Beach, FL.
5. Aluja, M.R., M. Cabrera, J. Guillen-Aguilar, H. Celedonio-Hurtado, & F. Ayora. 1989. Behavior of *Anastrepha ludens*, *A. obliqua* and *A. serpentina* (Diptera: Tephritidae) on a wild mango tree (*Mangifera indica*) harboring three McPhail traps. *Insect. Sci. & Applic.* 10: 309-318.
6. Aluja, M.R., H. Celedonio-Hurtado, P.F. Liedo, M. Cabrera, F. Castillo, J. Guillen-Aguilar & E. Rios. 1996. Seasonal population fluctuations and ecological implications for management of *Anastrepha* fruit flies (Diptera: Tephritidae) in commercial mango orchards in southern Mexico. *J. Econ. Entomol.* 89: 654-667.
7. Aluja, M.R., H. Celedonio-Hurtado, P.F. Liedo & J. Guillen-Aguilar. 1986. Some results of general interest for control of *Anastrepha* spp. (Diptera: Tephritidae). pp. 209-216, in, Cavalloro, R. [ed.]. *Fruit Flies of Economic Importance 84*. Proc. CEC/IOBC Meeting, Hamburg, 1984.
8. Aluja, M.R., J. Guillen-Aguilar, P.F. Liedo, M. Cabrera, E. Rios, G. De la Rosa, H. Celedonio-Hurtado & D. Mota. 1990. Fruit infesting tephritids (Diptera: Tephritidae) and associated parasitoids in Chiapas, Mexico. *Entomophaga* 35: 39-48.
9. Aluja, M.R., J. Guillen-Aguilar, G. de la Rosa, M. Cabrera, H. Celedonio-Hurtado, P.F. Liedo & J. Hendrichs. 1987. Natural host plant survey of the economically important fruit flies (Diptera: Tephritidae) of Chiapas, Mexico. *Fla. Entomol.* 70: 329-338.
10. Aluja, M.R. & P.F. Liedo. 1986. Perspectives on future integrated management of fruit flies in Mexico. Pp. 9-42 in, M. Mangel, J. Carey & R. Plant [eds.]. *Pest Control: Operations and Systems Analysis in Fruit Fly Management*. Springer-Verlag, New York, NY.
11. Aluja, M.R., M. Lopez & J. Sivinski. 1998. Ecological evidence for diapause in four native and one exotic species of larval-pupal fruit fly (Diptera: Tephritidae) parasitoids in tropical environments. *Ann. Entomol. Soc. Amer.* 91: 821-833.
12. Aluja, M., J. Pinero, I. Jacome, F. Diaz-Fleischer & J. Sivinski. 2000. Behavior of flies in the genus *Anastrepha* (Tephritidae: Toxotrypanini). Pp. 375-408, in: M. Aluja & A. Norrbom [eds.]. *Fruit Flies (Tephritidae): phylogeny and evolution of behavior*. CRC Press, Boca Raton, FL.
13. Baker, J.D. & R.R. Heath. 1992. NMR spectral assignment of lactone pheromone components emitted by Caribbean and Mexican fruit flies. *J. Chem. Ecol.* 19: 1511-1519.
14. Baker, P.S. & A.S. Chan. 1991. Appetitive dispersal of sterile fruit flies: aspects of the methodology and analysis of trapping studies. *J. Appl. Entomol.* 112: 263-273.
15. Baker, P.S., A.S. Chan & M.A. Jimeno-Zavala. 1986. Dispersal and orientation of sterile *Ceratitis capitata* and *Anastrepha ludens* (Tephritidae) in Chiapas, Mexico. *J. Appl. Ecol.* 23: 27-38.
16. Battiste, M.A., L. Strekowski, J.M. Coxon, R.L. Wydra & D.B. Harden. 1991. Highly stereoselective rearrangement of (E,E)-Suspensolide to Anastrephin and Epianastrephin. *Tetrahedron Letters* 32: 5303-5304.
17. Berrigan, D.A., J.R. Carey, J. Guillen-Aguilar & H. Celedonio-Hurtado. 1988. Age and host effects on clutch size in the Mexican fruit fly, *Anastrepha ludens*. *Entomol. Exp. & Applic.* 47: 73-80.
18. Bustos, M.E., J. Toledo, W.R. Enkerlin, H. Carrasco & J. Reyes. 1993. Irradiation as a quarantine treatment for Mexican mangoes. Pp. 341-344 in, M. Aluja & P. Liedo [eds.]. *Fruit Flies: Biology and Management*. Springer-Verlag, New York, NY.
19. Carlson, D.A. & S.R. Yocom. 1986. Cuticular hydrocarbons from six species of tephritid fruit flies. *Arch. Insect Biochem. & Physiol.* 3: 397-412.
20. Carroll, L.E. & R.A. Wharton. 1989. Morphology of the immature stages of *Anastrepha ludens* (Diptera: Tephritidae). *Ann. Entomol. Soc. Amer.* 82: 201-214.
21. Cayol, J.P. 2000. Changes in sexual behavior and life history traits of Tephritid species caused by mass-rearing processes. Pp. 843-860, in: M.R. Aluja & A.L. Norrbom [eds.]. *Fruit Flies (Tephritidae): phylogeny and evolution of behavior*. CRC Press, Boca Raton, FL.
22. Celedonio-Hurtado, H., M.R. Aluja & P.F. Liedo. 1995. Adult population fluctuations of *Anastrepha* species (Diptera: Tephritidae) in tropical orchard habitats of Chiapas, Mexico. *Environ. Entomol.* 24: 861-869.
23. Celedonio-Hurtado, H., P.F. Liedo, M.R. Aluja, J. Guillen-Aguilar, D. Berrigan & J. Carey. 1988. Demography of *Anastrepha ludens*, *A. obliqua*, and *A. serpentina* (Diptera: Tephritidae) in Mexico. *Fla. Entomol.* 71: 111-119.
24. Diaz-Fleischer, F., D.R. Papaj, R.J. Prokopy, A.L. Norrbom & M. Aluja. 2000. Evolution of fruit fly oviposition

- behavior. Pp. 811-842, in: M. Aluja & A.L. Norrbom [eds.]. *Fruit Flies (Tephritidae): phylogeny and evolution of behavior*. CRC Press, Boca Raton, FL.
25. Diaz-Fleischer, F., J. Toledo, W. Enkerlin & J. Hernandez. 1996. Cyromazine: effects on three species of *Anastrepha*. Pp. 333-337 in: B.A. McPheron & G.J. Steck [eds.]. *Fruit Fly Pests: a world assessment of their biology and management*. St. Lucie Press, Delray Beach, FL.
 26. Dickens, J.C., W.G. Hart, D.M. Light & E.B. Jang. 1988. Tephritis olfaction: morphology of the antennae of four tropical species of economic importance (Diptera: Tephritidae). *Ann. Entomol. Soc. Am.* 81: 325-331.
 27. Economopoulos, A.P. & G.E. Haniotakis. 1996. Advances in attractant and trapping technologies for Tephritids. Pp. 57-66, In: C.O. Calkins, W. Klaussen & P. Liedo [eds.]: *Fruit Flies and the Sterile Insect Technique*. CRC Press, Boca Raton, FL.
 28. Enkerlin, W., L. Lopez & H. Celedonio-Hurtado. 1996. Increased accuracy in discrimination between captured wild unmarked and released dye-marked adults in fruit fly (Diptera: Tephritidae) sterile release programs. *J. Econ. Entomol.* 89: 946-949.
 29. Enkerlin, W., J. Reyes & R. Villalobos. 1993. Use of a mixture of boric acid, borax, hydrolysed protein, and water to control *Anastrepha* fruit flies. Pp. 353-358 in, M. Aluja & P. Liedo [eds.]. *Fruit Flies: Biology and Management*. Springer-Verlag, New York, NY.
 30. Enkerlin, W., J. Reyes, A. Bernabe, A. Sanchez, J. Toledo & M. Aluja. 1993. Estatus del aguacate "Hass" como hospedero de tres especies de moscas de la fruta del genero *Anastrepha* (Diptera: Tephritidae) en condiciones forzadas y naturales. *Agrociencia* 4: 329-348.
 31. Epsky, N.D., R.R. Heath, A. Guzman & W.L. Meyer. 1995. Visual cue and chemical cue interactions in a dry trap with food-based synthetic attractant for *Ceratitis capitata* and *Anastrepha ludens* (Diptera: Tephritidae). *Environ. Entomol.* 24: 1387-1395.
 32. Eskafi, F.M. 1988. Infestation of Citrus by *Anastrepha* spp. and *Ceratitis capitata* (Diptera: Tephritidae) in high coastal plains of Guatemala. *Environ. Entomol.* 17: 52-58.
 33. Eskafi, F.M. 1990. Parasitism of fruit flies *Ceratitis capitata* and *Anastrepha* spp. (Diptera: Tephritidae) in Guatemala. *Entomophaga* 35: 355-362.
 34. Eskafi, F.M. & R.T. Cunningham. 1987. Host plants of fruit flies (Diptera: Tephritidae) of economic importance in Guatemala. *Fla. Entomol.* 70: 116-123.
 35. Gabayet, J.A.R., J.R. Flores & W. Enkerlin-Hoeftlich. 1996. The Mexican national fruit fly eradication campaign: largest fruit fly industrial complex in the world. Pp. 561-563, in, B.A. McPheron & G.J. Steck [eds.]. *Fruit Fly Pests: a world assessment of their biology and management*. St. Lucie Press, Delray Beach, FL.
 36. Gingrich, R.E. 1993. Biological control of tephritid fruit flies by inundative releases of natural enemies. Pp. 310-318, in, M. Aluja & P. Liedo [eds.]. *Fruit Flies: Biology and Management*. Springer-Verlag, New York, NY.
 37. Gutierrez-Samperio, J. Reyes & A. Villasenor. 1993. National plan against fruit flies in Mexico. Pp. 419-423, in, M. Aluja & P. Liedo [eds.]. *Fruit Flies: Biology and Management*. Springer-Verlag, New York, NY.
 38. Hallman, G.J. & M.J. Quinlan. 1996. Synopsis of postharvest quarantine treatment research. Pp. 473-477, in, B.A. McPheron & G.J. Steck [eds.]. *Fruit Fly Pests: a world assessment of their biology and management*. St. Lucie Press, Delray Beach, FL.
 39. Hallman, G.J. 1997. Mortality of Mexican fruit fly (Diptera: Tephritidae) immatures in coated grapefruits. *Fla. Entomol.* 80: 324-328.
 40. Hallman, G.J. 1999. Lethality of cold to third instars, pupae, and pharate adults of the Mexican fruit fly (Diptera: Tephritidae). *J. Econ. Entomol.* 92: 480-484.
 41. Hallman, G.J. 1999. Ionizing radiation quarantine treatments against tephritid fruit flies. *Postharv. Biol. & Technol.* 16: 93-106.
 42. Hallman, G.J. & J.W. Worley. 1999. Gamma radiation doses to prevent adult emergence from immatures of Mexican and West Indian fruit flies (Diptera: Tephritidae). *J. Econ. Entomol.* 92: 967-973.
 43. Hallman, G.J. & Q.H. Zhang. 1997. Inhibition of fruit fly (Diptera: Tephritidae) development by pulsed electric field. *Fla. Entomol.* 80: 239-248.
 44. Heath, R.R., N.D. Epsky, S. Bloem, K. Bloem, F. Acajabon, A. Guzman & D. Chambers. 1994. pH effect on the attractiveness of a corn hydrolysate to the Mediterranean fruit fly and several *Anastrepha* species (Diptera: Tephritidae). *J. Econ. Entomol.* 87: 1008-1013.
 45. Heath, R.R., N.D. Epsky, B.D. Dueben, J. Rizzo & F. Jeronimo. 1997. Adding methyl-substituted ammonia derivatives to a food-based synthetic attractant on capture of Mediterranean and Mexican fruit flies (Diptera: Tephritidae). *J. Econ. Entomol.* 90: 1584-1589.
 46. Heath, R.R., N.D. Epsky, A. Guzman, B.D. Dueben, A. Manukian & W.L. Meyer. 1995. Development of a dry plastic insect trap with food-based synthetic attractant for the Mediterranean and Mexican fruit flies (Diptera: Tephritidae). *J. Econ. Entomol.* 88: 1307-1315.
 47. Heath, R.R., P.J. Landolt, D.C. Robacker, B.D. Dueben & N.D. Epsky. 2000. Sexual pheromones of tephritid flies: clues to unravel phylogeny and behavior. Pp. 793-810, in: M. Aluja & A.L. Norrbom [eds.]. *Fruit Flies (Tephritidae): phylogeny and evolution of behavior*. CRC Press, Boca Raton, FL.
 48. Hernandez-Ortiz, V. 1990. Lista preliminar de especies Mexicanas del genero *Anastrepha* (Diptera: Tephritidae) con descripcion de nuevas especies, registros y sinonimias. *Folia Entomol. Mex.* 80: 227-244.
 49. Hernandez-Ortiz, V. 1992. El Genero *Anastrepha* Schiner in Mexico (Diptera: Tephritidae): taxonomia, distribucion y sus plantas huespuedes. *Soc. Entomol. Mex., Instituto Ecologia Publ.* No. 33, Jalapa, Mexico.
 50. Hernandez-Ortiz, V. & M.R. Aluja. 1993. Listado de especies del genero neotropical *Anastrepha* (Diptera: Tephritidae) con notas sobre su distribucion y plantas hospederas. *Folia Entomol. Mex.* 88: 89-105.
 51. Hernandez-Ortiz, V. & R. Perez-Alonso. 1993. The natural host plants of *Anastrepha* (Diptera: Tephritidae) in a

- tropical rain forest of Mexico. Fla. Entomol. 76: 447-460.
52. Hernandez-Ortiz, V., R. Perez-Alonso, & R. Wharton. 1994. Native parasitoids associated with the genus *Anastrepha* (Diptera: Tephritidae) in Los Tuxtlas, Veracruz, Mexico. Entomophaga 39: 171-178.
 53. Hodgson, P.J., J. Sivinski, G. Quintero & M. Aluja. 1998. Depth of pupation and survival of fruit fly (*Anastrepha* spp: Tephritidae) pupae in a range of agricultural habitats. Environ. Entomol. 27: 1310-1314.
 54. Holler, T.C. & C.O. Calkins. 1986. *Anastrepha ludens* (Loew) (Diptera: Tephritidae): a selected bibliography (1888-1986). J. Rio Grande Hort. Soc. 39: 41-53.
 55. Jiron, L.F., J. Soto & A.L. Norrbom. 1988. A preliminary list of the fruit flies of the genus *Anastrepha* (Diptera: Tephritidae) in Costa Rica. Fla. Entomol. 71: 130-137.
 56. Lee, C., A.B. DeMilo, D.S. Moreno & A.J. Martinez. 1995. Analysis of the volatile components of a bacterial fermentation that is attractive to the Mexican Fruit Fly, *Anastrepha ludens*. J. Agric. & Food Chem. 43: 1348-1351.
 57. Lee, C., A.B. DeMilo, D. S. Moreno & R.L. Mangan. 1997. Identification of the volatile components of E802 Mazoferm steepwater, a condensed fermented corn extractive highly attractive to the Mexican fruit fly (Diptera: Tephritidae). J. Agric. & Food Chem. 45: 2327-2331.
 58. Lester, G.E. & D.A. Wolfenbarger. 1990. Comparisons of cobalt-60 gamma irradiation dose rates on grapefruit flavedo tissue and on Mexican fruit fly mortality. J. Food Protection 53: 329-331.
 59. Leyva-Vazquez, J.L. 1988. Temperatura umbral y unidades calor requeridas por los estados inmadurados de *Anastrepha ludens* (Loew) (Diptera: Tephritidae). Folia Entomol. Mex. 74: 189-196.
 60. Leyva-Vazquez, J.L., H.W. Browning & F.E. Gilstrap. 1991. Development of *Anastrepha ludens* (Diptera: Tephritidae) in several host fruit. Environ. Entomol. 20: 1160-1165.
 61. Leyva-Vazquez, J.L., H.W. Browning & F.E. Gilstrap. 1991. Effect of host fruit species, size, and color on parasitization of *Anastrepha ludens* (Diptera: Tephritidae) by *Dichasmimorpha longicaudata* (Hymenoptera: Braconidae). Environ. Entomol. 20: 1469-1474.
 62. Lezama-Gutierrez, R., J. Molina-Ochoa, O.L. Contreras-Ochoa, M. Gonzalez-Ramirez, A. Trujillo-De la Luz, & O. Rebolledo-Dominguez. 1996. Susceptibilidad de larvas de *Anastrepha ludens* (Diptera: Tephritidae) a diversos nematodos entomopatogenos (Steinernematidae y Heterorhabditidae). Vedalia 3: 31-33.
 63. Liedo, P.F. & J.R. Carey. 1994. Mass rearing of *Anastrepha* (Diptera: Tephritidae) fruit flies: a demographic analysis. J. Econ. Entomol. 87: 176-180.
 64. Liedo, P.F. & J.R. Carey. 1996. Demography of fruit flies and implications to action programs. Pp. 299-308 in: B.A. McPheron & G.J. Steck [eds.]. Fruit Fly Pests: a world assessment of their biology and management. St. Lucie Press, Delray Beach, FL.
 65. Liedo, P.F., J.R. Carey, H. Celedonio-Hurtado & J. Guillen-Aguilar. 1993. Demography of *Anastrepha* fruit flies: a case study of three species of economic importance. Pp. 119-124 in, M. Aluja & P. Liedo [eds.]. Fruit Flies: Biology and Management. Springer-Verlag, New York, NY.
 66. Liedo, P.F., J.R. Carey, H. Celedonio-Hurtado & J. Guillen-Aguilar. 1991. Size specific demography of three species of *Anastrepha* fruit flies. Entomol. Exp. & Appl. 63: 135-142.
 67. Lopez, M., M. Aluja & J. Sivinski. 1999. Hymenopterous larval parasitoids of *Anastrepha* flies (Diptera: Tephritidae) in Mexico. Biol. Control 15: 119-129.
 68. Malacrida, A.R., C.R. Guglielmino, P. D'Adamo, C. Torti, F. Marinoni & G. Gasperi. 1995. Allozyme divergence and phylogenetic relationships among species of tephritid flies. Heredity 76: 592-602.
 69. Malo, E.A. 1992. Effect of bait decomposition time on capture of *Anastrepha* fruit flies. Fla. Entomol. 75: 272-274.
 70. Malo, E.A., P.S. Baker & J. Valenzuela. 1987. The abundance of species of *Anastrepha* (Diptera: Tephritidae) in the coffee producing area of coastal Chiapas, southern Mexico. Fol. Entomol. Mex. 73: 125-140.
 71. Malo, E.A. & G.I. Zapien. 1994. McPhail trap captures of *Anastrepha obliqua* and *Anastrepha ludens* (Diptera: Tephritidae) in relation to time of day. Fla. Entomol. 77: 290-294.
 72. Mangan, R.L. 1996. Effects of adult chill treatments on mate attracting potential for irradiated Mexican fruit fly males. Entomol. Exp. & Appl. 79: 153-159.
 73. Mangan, R.L. 1997. Effects of strain and access to males on female longevity, lifetime oviposition rate, and egg fertility of the Mexican fruit fly (Diptera: Tephritidae). J. Econ. Entomol. 90: 945-954.
 74. Mangan, R.L., E.R. Frampton, D.B. Thomas & D.S. Moreno. 1997. Application of the maximum pest limit concept to quarantine security standards for the Mexican fruit fly (Diptera: Tephritidae). J. Econ. Entomol. 90: 1433-1440.
 75. Mangan, R.L. & G.J. Hallman. 1998. Temperature treatments for quarantine security: new approaches for fresh commodities. Pp. 201-234, in: G. Hallman & D. Denlinger [eds.]. Temperature Sensitivity in Insects. Westview, Boulder, CO.
 76. Mangan, R.L. & S.J. Ingle. 1994. Forced hot air treatment for grapefruit infested with Mexican fruit fly (Diptera: Tephritidae). J. Econ. Entomol. 87: 1574-1579.
 77. Mangan, R.L. & D.S. Moreno. 1995. Development of phloxine B and uranine bait for control of Mexican fruit fly. Pp. 116-126, in: J.R. Heitz & K.R. Downum [eds.]. Light Activated Pest Control. Amer. Chem. Soc. Symp. 616.
 78. Mangan, R.L., D.S. Moreno & M. Sanchez-Riviello. 1992. Interaction of wild males and laboratory-adapted females of the Mexican fruit fly (Diptera: Tephritidae) in natural habitats. Environ. Entomol. 21: 294-300.
 79. Mangan, R.L., K.C. Shellie, S.J. Ingle & M.J. Firko. 1998. High temperature forced-air treatments with fixed time and temperature for 'Dancy' tangerines, 'Valencia' oranges, and 'Rio Star' grapefruits. J. Econ. Entomol. 91: 933-939.

80. Mangan, R.L. & J.L. Sharp. 1994. Combination and multiple treatments. Pp. 239-247, in, G. Hallman [ed.]. Quarantine Treatments for Pests of Food Plants. Westview Press, Boulder, CO.
81. Martinez, A.J., T.C. Holler & J.N. Worley. 1987. A fructose and yeast hydrolysate diet for the irradiated Mexican fruit fly adult, *Anastrepha ludens* (Loew) and its effect on male longevity. Southw. Entomol. 12: 317-320.
82. Martinez, A.J. & D.S. Moreno. 1991. Effect of cyromazine on the oviposition of Mexican fruit fly (Diptera: Tephritidae) in the laboratory. J. Econ. Entomol. 84: 1540-1543.
83. Martinez, A.J., D.C. Robacker, J.A. Garcia & K.L. Esau. 1994. Laboratory and field olfactory attraction of the Mexican fruit fly (Diptera: Tephritidae) to metabolites of bacterial species. Fla. Entomol. 77: 117-126.
84. Martinez, A.J., D.C. Robacker & J.A. Garcia. 1997. Toxicity of an isolate of *Bacillus thuringiensis* subspecies *darmstadiensis* to adults of the Mexican fruit fly (Diptera: Tephritidae) in the laboratory. J. Econ. Entomol. 90: 130-134.
85. Martinez, I. & V. Hernandez-Ortiz. 1997. Anatomy of the reproductive system in six *Anastrepha* species and comments regarding their terminology in Tephritidae (Diptera). Proc. Entomol. Soc. Wash. 99: 727-743.
86. McPheron, B.A., H.-Y. Han, J.G. Silva & A.L. Norrbom. 2000. Phylogeny of the genera *Anastrepha* and *Toxotrypana* (Trypetinae: Toxotrypanini) based on morphology. Pp. 299-342, in: M. Aluja & A.L. Norrbom [eds.]. Fruit Flies (Tephritidae): Phylogeny and Evolution of Behavior. CRC Press, Boca Raton FL.
87. Messing, R.H. & E.B. Jang. 1992. Response of the fruit fly parasitoid *Diachasmimorpha longicaudata* (Hymenoptera: Braconidae) to host-fruit stimuli. Environ. Entomol. 21: 1189-1195.
88. Montero, C.A.B. & J.A. Sanchez-Salas. 1990. Evaluation of six different traps for detecting the Mexican fruit fly. Southw. Entomol. 15: 327-331.
89. Moreno, D.S. & R.L. Mangan. 1995. Responses of the Mexican fruit fly (Diptera: Tephritidae) to two hydrolyzed proteins and incorporation of Phloxine B to kill adults. Pp. 258-279, in: J.R. Heitz & K.R. Downum [eds.]. Light Activated Pest Control. Am. Chem. Soc. Symp. 616.
90. Moreno, D.S., A.J. Martinez & M. Sanchez-Riviello. 1994. Cyromazine effects on the reproduction of *Anastrepha ludens* (Diptera: Tephritidae) in the laboratory and in the field. J. Econ. Entomol. 87: 202-211.
91. Moreno, D.S., M. Sanchez-Riviello, D.C. Robacker & J.N. Worley. 1991. Mating competitiveness of irradiated Mexican fruit fly (Diptera: Tephritidae). J. Econ. Entomol. 84: 1227-1234.
92. Nilhake, S.S., J.N. Worley, R. Garcia, J.L. Davidson. 1991. Mexican fruit fly protocol helps export Texas citrus. Subtrop. Plant Sci. 44: 49-52.
93. Norrbom, A. & R.H. Foote. 1989. The taxonomy and zoogeography of the genus *Anastrepha* (Diptera: Tephritidae). Pp. 15-26, in: A.S. Robinson & G. Hooper [eds.]. Fruit Flies, their Biology, Natural Enemies and Control. Elsevier, Amsterdam.
94. Norrbom, A. & K.C. Kim. 1988. A list of the reported host plants of the species of *Anastrepha* (Diptera: Tephritidae). USDA-APHIS, 81-52.
95. Norrbom, A., R.A. Zucchi & V. Hernandez-Ortiz. 2000. Phylogeny of the genera *Anastrepha* and *Toxotrypana* (Trypetinae: Toxotrypanini) based on morphology. Pp. 299-342, in: M. Aluja & A.L. Norrbom [eds.]. Fruit Flies (Tephritidae): phylogeny and evolution of behavior. CRC Press, Boca Raton, FL.
96. O'Doherty, R. & J.E. Link. 1993. Fruit flies in Belize, Central America. Pp. 35-37 in, M. Aluja & P. Liedo [eds.]. Fruit Flies: Biology and Management. Springer-Verlag, New York, NY.
97. Papaj, D.R. & M. Aluja. 1993. Temporal dynamics of host-marking in the tropical tephritid fly, *Anastrepha ludens*. Physiol. Entomol. 18: 279-284.
98. Pinson, E., W. Enkerlin, S. Arrazate & A. Oropeza. 1993. Adaptation of *Anastrepha ludens* (Loew) to an enriched recycled diet. Pp. 285-287 in: M. Aluja & P. Liedo [eds.]. Fruit Flies: Biology and Management. Springer-Verlag, New York, NY.
99. Riherd, C., R. Nguyen & J.R. Brazzel. 1994. Pest free areas. Pp. 213-223, in: J.L. Sharp & G.J. Hallman [eds.]. Quarantine Treatments for Pests of Food Plants. Westview Press, Boulder, CO.
100. Robacker, D.C. 1988. Behavioral responses of female Mexican Fruit Flies, *Anastrepha ludens*, to components of male-produced sex pheromone. J. Chem. Ecol. 14: 1715-1726.
101. Robacker, D.C. 1991. Specific hunger in *Anastrepha ludens* (Diptera: Tephritidae): effects on attractiveness of proteinaceous and fruit-derived lures. Environ. Entomol. 20: 1680-1686.
102. Robacker, D.C. 1992. Effects of shape and size of colored traps on attractiveness to irradiated, laboratory-strain Mexican fruit flies (Diptera: Tephritidae). Fla. Entomol. 75: 230-241.
103. Robacker, D.C. 1993. Understanding olfactory attraction in *Anastrepha* using *A. ludens* as a model system. Pp. 201-206 in: M. Aluja & P. Liedo [eds.]. Fruit Flies: Biology and Management. Springer-Verlag, New York, NY.
104. Robacker, D.C. 1995. Attractiveness of a mixture of ammonia, methylamine and putrescine to Mexican fruit flies (Diptera: Tephritidae) in a citrus orchard. Fla. Entomol. 78: 571-577.
105. Robacker, D.C. 1998. Analysis of volatile amines from bacterial cultures and man-made matrices. Rec. Res. Devel. Agric. & Food Chem. 2: 125-140.
106. Robacker, D.C. 1998. Effects of food deprivation, age, time of day, and gamma irradiation on attraction of Mexican fruit flies (Diptera: Tephritidae) to two synthetic lures in a wind tunnel. Environ. Entomol. 27: 1303-1309.
107. Robacker, D.C. 1999. Attraction of wild and laboratory-strain of Mexican fruit flies (Diptera: Tephritidae) to two synthetic lures in a wind tunnel. Fla. Entomol. 82: 87-96.
108. Robacker, D.C. 1999. Semiochemical systems of the Mexican fruit fly: how they work and interact. Recent Res.

- Develop. Entomol. 2: 127-149.
109. Robacker, D.C. & R.J. Bartelt. 1996. Solid-phase microextraction analysis of static-air emissions of ammonia, methylamine, and putrescine from a lure for the Mexican fruit fly (*Anastrepha ludens*). J. Agric. & Food Chem. 44: 3554-3559.
110. Robacker, D.C. & R.J. Bartelt. 1997. Chemicals attractive to Mexican fruit fly from *Klebsiella pneumoniae* and *Citrobacter freundii* cultures sampled by solid-phase microextraction. J. Chem. Ecol. 23: 2897-2915.
111. Robacker, D.C., B.C. Chapa & W.G. Hart. 1986. Electroantenograms of Mexican fruit flies to chemicals produced by males. Entomol. Exp. Appl. 40: 123-127.
112. Robacker, D.C., A.B. DeMilo & D.J. Voaden. 1997. Mexican fruit fly attractants: effects of 1-pyrroline and other amines on attractiveness of a mixture of ammonia, methylamine, and putrescine. J. Chem. Ecol. 23: 1263-1280.
113. Robacker, D.C. & R.A. Flath. 1995. Attractants from *Staphylococcus aureus* cultures for Mexican Fruit Fly. J. Chem. Ecol. 21: 1861-1874.
114. Robacker, D.C. & J.A. Garcia. 1990. Responses of laboratory-strain Mexican fruit flies, *Anastrepha ludens*, to combinations of fermenting fruit odor and male-produced pheromone in laboratory bioassays. J. Chem. Ecol. 16: 2027-2038.
115. Robacker, D.C. & J.A. Garcia. 1993. Effects of age, time of day, feeding history, and gamma irradiation on attraction of Mexican fruit flies (Diptera: Tephritidae), to bacterial odor in laboratory experiments. Environ. Entomol. 22: 1367-1374.
116. Robacker, D.C., J.A. Garcia & W.G. Hart. 1990. Attraction of a laboratory strain of *Anastrepha ludens* (Diptera: Tephritidae) to the odor of fermented chapote fruit and to pheromones in laboratory experiments. Environ. Entomol. 19: 403-408.
117. Robacker, D.C., J.A. Garcia, A.J. Martinez & M.G. Kaufman. 1991. Strain of *Staphylococcus* attractive to laboratory strain *Anastrepha ludens*, from fermented host fruit. J. Chem. Ecol. 16: 2799-2815.
118. Robacker, D.C. & W.G. Hart. 1986. Behavioral responses of male and female Mexican fruit flies, *Anastrepha ludens*, to male-produced chemicals in laboratory experiments. J. Chem. Ecol. 12: 39-47.
119. Robacker, D.C. & R.R. Heath. 1996. Attraction of Mexican Fruit Flies (Diptera: Tephritidae) to lures emitting host-fruit volatiles in a citrus orchard. Fla. Entomol. 79: 600-602.
120. Robacker, D.C. & R.R. Heath. 1997. Decreased attraction of *Anastrepha ludens* to combinations of two types of synthetic lures in a citrus orchard. J. Chem. Ecol. 23: 1253-1262.
121. Robacker, D.C., R.L. Mangan, D.S. Moreno & A. Tarshis-Moreno. 1991. Mating behavior and male mating success in wild *Anastrepha ludens* (Diptera: Tephritidae) on a field-caged host tree. J. Insect Behavior 4: 471-487.
122. Robacker, D.C., A.J. Martinez, J.A. Garcia & R.J. Bartelt. 1998. Volatiles attractive to the Mexican fruit fly (Diptera: Tephritidae) from eleven bacterial taxa. Fla. Entomol. 81: 489-496.
123. Robacker, D.C., A.J. Martinez, J.A. Garcia, M. Diaz & C. Romero. 1996. Toxicity of *Bacillus thuringiensis* to Mexican Fruit Fly (Diptera: Tephritidae). J. Econ. Entomol. 89: 104-110.
124. Robacker, D.C. & D.S. Moreno. 1988. Responses of female Mexican fruit flies at various distances from male-produced pheromone. Southw. Entomol. 13: 95-100.
125. Robacker, D.C. & D.S. Moreno. 1995. Protein feeding attenuates attraction of Mexican Fruit Flies (Diptera: Tephritidae) to volatile bacterial metabolites. Fla. Entomol. 78: 39-44.
126. Robacker, D.C., D.S. Moreno & A.B. DeMilo. 1996. Attractiveness to Mexican fruit flies of combinations of acetic acid with ammonium-amino attractants with emphasis on effects of hunger. J. Chem. Ecol. 22: 499-511.
127. Robacker, D.C., D.S. Moreno & D.A. Wolfenbarger. 1990. Effects of trap color, height, and placement around trees on capture of Mexican Fruit Flies (Diptera: Tephritidae). J. Econ. Entomol. 83: 412-419.
128. Robacker, D.C., A.M. Tarshis-Moreno, J.A. Garcia, and R.A. Flath. 1990. A novel attractant for Mexican Fruit Fly, *Anastrepha ludens*, from fermented host fruit. J. Chem. Ecol. 16: 2799-2815.
129. Robacker, D.C. & W.C. Warfield. 1993. Attraction of both sexes of Mexican fruit fly, *Anastrepha ludens*, to a mixture of ammonia, methlyamine, and putrescine. J. Chem. Ecol. 19: 2999-3016.
130. Robacker, D.C., W.C. Warfield & R.A. Flath. 1992. A four-component attractant for the Mexican Fruit Fly, *Anastrepha ludens* (Diptera: Tephritidae), from host fruit. J. Chem. Ecol. 18: 1239-1254.
131. Robacker, D.C., W.C. Warfield, & R.F. Albach. 1993. Partial characterization and HPLC isolation of bacteria-produced attractants for the Mexican Fruit Fly, *Anastrepha ludens*. J. Chem. Ecol. 19: 543-557.
132. Robacker, D.C. & D.A. Wolfenbarger. 1988. Attraction of laboratory-reared, irradiated Mexican fruit flies to male-produced pheromone in the field. Southw. Entomol. 13: 75-80.
133. Rocca, J.R., J.L. Nation, L. Strekowski & M.A. Battiste. 1992. Comparison of volatiles emitted by male Caribbean and Mexican fruit flies. J. Chem. Ecol. 18: 223-244.
134. Rull-Gabayet, J.A., J. Reyes-Flores & W. Enkerlin-Hoeflich. 1996. The Mexican national fruit fly eradication campaign: largest fruit fly industrial complex in the world. Pp. 561-563, in: B.A. McPheron & G.J. Steck [eds.]. Fruit Fly Pests: a world assessment of their biology and management. St. Lucie Press, Delray Beach, FL.
135. Servin-Villegas, R. & M.L. Jimenez-Jimenez. 1995. El Aparato reproductor y ciclo gonadico de la Mosca de la Fruta, *Anastrepha ludens*. Southw. Entomol. 20: 223-227.
136. Sharp, J.L. 1988. Status of hot water immersion quarantine treatment for tephritidae immatures in mangos. Proc. Fla. State Hortic. Soc. 101: 195-197.
137. Sharp, J.L. 1993. Quarantine treatments for major mango pests. Acta Hortic. 341: 407-414.
138. Sharp, J.L., M.T. Ouye, S.J. Ingles & W.G. Hart. 1989. Hot

- water quarantine treatment for Mangoes from Mexico infested with Mexican Fruit fly and West Indian fruit fly (Diptera: Tephritidae). J. Econ. Entomol. 82: 1657-1662.
139. Shellie, K.C. 1994. Quality of "Manila" mango after heat treatments for fruit fly disinfection. HortSci. 29: 483.
140. Shellie, K.C., M.J. Firko & R.L. Mangan. 1993. Phytotoxic response of Dancy tangerine to high-temperature, moist, forced-air treatment for fruit fly disinfection. J. Am. Soc. Hort. Sci. 118: 481-485.
141. Shellie, K.C. & R.L. Mangan. 1994a. Postharvest quality of "Valencia" orange after exposure to hot, moist, forced air for Fruit Fly disinfection. HortSci. 29: 1524-1527.
142. Shellie, K.C. & R.L. Mangan. 1994b. Disinfection: effect of non-chemical treatments on market quality of fruit. pp. 304-310, in: Champ, B.R. [ed.]. Postharvest Handling of Tropical Fruits. ACIAR Proceedings.
143. Shellie, K.C. & R.L. Mangan. 1995. Heating rate and tolerance of naturally degreened "Dancy" tangerine to high-temperature forced air for fruit fly disinfection. HortTechnol. 5: 40-43.
144. Shellie, K.C. & R.L. Mangan. 1996. Tolerance of red-fleshed grapefruit to a constant or stepped temperature, forced-air quarantine heat treatment. Postharv. Biol. & Technol. 7: 151-159.
145. Shellie, K.C., R.L. Mangan & S.J. Ingle. 1997. Tolerance of grapefruit and Mexican fruit fly larvae to heated controlled atmospheres. Postharv. Biol. & Technol. 10: 179-186.
146. Sivinski, J.M. 1996. The past and potential of biological control of fruit flies. Pp. 369-375, in, B. McPheron & G. Steck [eds.]. Fruit Fly Pests: a world assessment of their biology and management. St. Lucie Press, Delray Beach, FL.
147. Sivinski, J.M., M. Aluja, G. Dodson, A. Freidberg, D.H. Headrick, K.Y. Kaneshiro & P.J. Landolt. 2000. Topics in the evolution of sexual behavior in the Tephritidae. Pp. 751-792, in: M. Aluja & A.L. Norrbom [eds.]. Fruit Flies (Tephritidae): phylogeny and evolution of behavior. CRC Press, Boca Raton, FL.
148. Sivinski, J.M., M. Aluja & M. Lopez. 1997. Spatial and temporal distributions of parasitoids of Mexican *Anastrepha* species (Diptera: Tephritidae) within the canopies of fruit trees. Ann. Entomol. Soc. Am. 90: 604-618.
149. Sivinski, J.M., K. Vulinec, E. Menezes & M. Aluja. 1998. The bionomics of *Coptera haywardi* (Ogloblin) (Hymenoptera: Diapriidae) and other pupal parasitoids of tephritid fruit flies (Diptera). Biol. Contr. 11: 193-202.
150. Steck, G.J., L.E. Carroll, H. Celedonio-Hurtado & J. Guillen-Aguilar. 1990. Methods for identification of *Anastrepha* larvae (Diptera: Tephritidae), and key to 13 species. Proc. Entomol. Soc. Wash. 92: 333-346.
151. Stevens, L.J. 1991. Manual of standard operating procedure (SOP) for the mass-rearing and sterilization of the Mexican Fruit Fly, *Anastrepha ludens* (Loew). USDA-APHIS PPQ Report, Feb. 1991.
152. Stokes, J.B., E.C. Uebel, J.D. Warthen, M. Jacobson, J.L. Flippin-Anderson, R. Gilardi, L.M. Spishakoff & K.R. Wilzer. 1983. Isolation and identification of novel lactones from male Mexican Fruit Flies. J. Agric. Food Chem. 31: 1162-1167.
153. Tadano, K.I., Y. Isshiki, M. Minami & S. Ogawa. 1992. Samarium-II iodide mediated reductive cyclization approach to total synthesis of the insect sex attractant Levo Anastrephelin. Tetrahedron Lett. 33: 7899-7902.
154. Tadano, K.I., Y. Isshiki, M. Minami & S. Ogawa. 1993. Total syntheses of (-)-Anastrephelin, (-)-Epianastrephelin, and their 7a-Epimers: Use of Samarium (II) iodide-mediated intramolecular reductive coupling for the construction of their hexahydrobenzofuran-2(3H)-one skeletons. J. Org. Chem. 58: 6266-6279.
155. Thomas, D.B. 1993. Survivorship of the pupal stages of the Mexican Fruit Fly *Anastrepha ludens* (Loew) (Diptera: Tephritidae) in an agricultural and non-agricultural situation. J. Entomol. Sci. 28: 350-362.
156. Thomas, D.B. 1995. Predation on the soil inhabiting stages of the Mexican fruit fly. Southw. Entomol. 20: 61-71.
157. Thomas, D.B. 1997. Degree-Day accumulations and seasonal duration of the pre-imaginal stages of the Mexican fruit fly (Diptera: Tephritidae). Fl. Entomol. 80: 71-78.
158. Thomas, D.B. 1998. Contribution of avian feces to fecundity in the Mexican fruit fly (Diptera: Tephritidae). Environ. Entomol. 27: 626-630.
159. Thomas, D.B. & J. Loera-Gallardo. 1998. Dispersal and longevity of mass-released, sterilized Mexican fruit flies (Diptera: Tephritidae). Environ. Entomol. 27: 1045-1052.
160. Thomas, D.B. & R.L. Mangan. 1995. Morbidity of the pupal stage of the Mexican and West Indian fruit flies (Diptera: Tephritidae) Induced by hot water immersion in the larval stage. Fla. Entomol. 78: 235-246.
161. Thomas, D.B. & R.L. Mangan. 1997. Modeling thermal death in the Mexican fruit fly (Diptera: Tephritidae). J. Econ. Entomol. 90: 527-534.
162. Thomas, D.B., J.N. Worley, R.L. Mangan, R.A. Vlasik & J.L. Davidson. 1999. Mexican fruit fly suppression with the sterile insect technique. Subtropic. Plant Sci. 51: 61-71.
163. Toledo, J. 1993. Intensive gathering of potential fruit fly hosts to obtain biological material and as a cultural control method. Pp. 381-385 in: Aluja, M. & P. Liedo [eds.]. Fruit Flies: Biology and Management. Springer-Verlag, New York, NY.
164. Toledo, J., P. Liedo, T. Williams & J. Ibarra. 1999. Toxicity of *Bacillus thuringiensis* B-exotoxin to three species of fruit flies (Diptera: Tephritidae). J. Econ. Entomol. 92: 1052-1056.
165. Tomic-Carruthers, N., D.C. Robacker & R.L. Mangan. 1996. Identification and age-dependence of Pteridines in the head of adult Mexican Fruit fly, *Anastrepha ludens*. J. Insect Physiol. 42: 359-366.
166. Williamson, D.L. 1986. The Mexican fruit fly problem: alternatives for protecting fresh fruit commodities. J. Rio Grande Valley Hort. Soc. 39: 55-61.
167. Williamson, D.L. & W.G. Hart. 1986. Progress in developing an internal color marker for *Anastrepha ludens* Loew (Diptera: Tephritidae). 2nd Internat. Symp. Fruit Flies/ Crete. Sept. 1986. Pp. 435-440.
168. Williamson, D.L. & W.G. Hart. 1989. Current status of

- Mexican fruit fly research in the Rio Grande Valley of Texas. Pp. 563-569, in R. Cavallaro [ed.] *Fruit Flies of Economic Importance 87*. Proc. CEC/IOBC Internat. Symp. April 1987. Balkema, Rotterdam.
169. Williamson, D.L., K.R. Summy, W.G. Hart, M. Sanchez-Riviello, D.A. Wolfenbarger & B.D. Bruton. 1986. Efficacy and phytotoxicity of methyl bromide as a fumigant for the Mexican fruit fly (Diptera: Tephritidae) in grapefruit. *J. Econ. Entomol.* 79: 172-175.
170. Wolfenbarger, D.A. & A.W. Guenthner. 1998. Effects of irradiation on Mexican fruit fly (Diptera: Tephritidae) larvae infesting grapefruit. *Trop. Agric. (Trinidad)* 75: 375-379.
171. Yamamura, K. & H. Katsumata. 1999. Estimation of the probability of insect pest introduction through imported commodities. *Res. Popul. Ecol.* 41: 275-282.